

# MDR752H

## Full D1 4CH H.264 DVR

USB Mouse Control with GUI Display



**PUSH VIDEO**

### FEATURES

#### Push Video - Active Event Notification with EagleEyes App

- ❖ Supports sending Push Video to your iPad, iPhone and Android mobile device for instant event notification for an alarm event when an alarm sensor is connected to the DVR.

#### Mobile Surveillance with EagleEyes

- ❖ Compatible with many popular mobile platforms, such as iPad, iPhone, BlackBerry, Windows Mobile, Symbian & Android.

#### Remote Surveillance with Browsers and CMS

- ❖ For web browsers, compatible with Internet Explorer, Mozilla Firefox, Google Chrome, Safari & Opera.
- ❖ For CMS software, available with our self-developed and free software, "Video Viewer."
- ❖ Applicable also to Apple's media player, QuickTime.

#### Full D1 Recording

- ❖ Full D1 at real-time record on all channels.

#### Fully Remote Independent Operation

- ❖ Channel switching & video playback are fully independent from the local site, allowing users to have private image monitoring remotely.

#### High Performance Design

- ❖ Definable "Resolution" / "Quality" / "IPS" by channels at your preferences to increase the recording efficiency, and avoid any important scenes to be missed.

#### Video Output

- ❖ Supports HD.video display
- ❖ Supports video output from composite,VGA and HD ports simultaneously


#### Multiplex

- ❖ Allows live display, record, playback, backup and network operation at the same time.

#### Backup Function

- ❖ Supports USB flash drive and network backup.

### REAR PANEL



# SPECIFICATIONS

▼ Video		
Video System	NTSC / PAL (auto detection)	
Video Compression Format	H.264	
Video Input (Composite video signal 1 Vp-p 75Ω BNC)	4 channels	
Video Output (BNC)	BNC	Main Monitor: For stable display
	VGA	YES (Output resolution up to 1600 x 1200)
	HD Display	YES (Output resolution up to 1600 x 1200)
▼ Record & Backup		
Maximum Recording Rate	Frame	704×480 pixels with 120 IPS <NTSC> / 704×576 pixels with 100 IPS <PAL>
	Field	704x240 pixels with 120 IPS <NTSC> / 704×288 pixels with 100 IPS <PAL>
	CIF	352×240 pixels with 120 IPS <NTSC> / 352×288 pixels with 100 IPS <PAL>
Recording Mode	Manual / Timer / Motion / Alarm / Remote	
Pre-alarm Recording	YES	
Backup Device	USB 2.0 flash drive / Network	
Quick Search	Time / Motion / Alarm search mode	
▼ Audio		
Audio Input	4 audio inputs	
Audio Output	1 audio output (Mono)	
▼ General		
Hard Disk Storage	Accommodates 1 SATA HDD (capacity up to 2TB)	
SATA Interface	Built-in	
Image Quality Setting	SUPER BEST / BEST / HIGH / NORMAL	
USB Mouse Control	YES	
Motion Detection Area	16 × 12 grids per channel	
Motion Detection Sensitivity	3 adjustable parameters for accurate detection	
Event Notification	Push Video / FTP / E-Mail	
Picture Zoom	2X digital zoom	
PTZ Control	YES	
Alarm I/O	1 input (for Push Video), 1 output	
IR Remote Control	YES (IR receiver built-in)	
Key Lock (Password Protection)	YES	
User Level	Administrator & Operator	
Video Loss Detection	YES	
Camera Title	Supports up to 12 letters	
Video Adjustable	Hue / Saturation / Contrast / Brightness	
Date Display Format	YY/MM/DD, DD/MM/YY & MM/DD/YY	
Daylight Saving	YES	
Power Source (±10%)	DC 19V	
Power Consumption (±10%)	< 40 W	
Operating Temperature	10°C ~ 40°C (50°F ~ 104°F)	
Dimensions (mm)**	343(W) x 59(H) x 223(D)	

<b>▼ Network</b>	
Ethernet	10/100 Base-T. Supports remote control and live view via Ethernet
Network Protocol	TCP/IP, PPPOE, DHCP and DDNS
Web Transmitting Compression Format	H.264
<b>▼ Remote Surveillance from PC</b>	
Compatible Operating System	Windows & MAC
Compatible Program	Web Browser: Internet Explorer, Mozilla Firefox, Google Chrome, Safari & Opera
	Video Viewer: For both Windows and MAC operating systems
	QuickTime: For both Windows and MAC operating systems
Max. online users	10
Network Live Audio	YES
Remote Independent Operation	YES
Remote Event Download & Playback	YES
<b>▼ Mobile Surveillance</b>	
App	EagleEyes
Compatible Devices	iPad, iPhone, BlackBerry, Windows Mobile, Symbian & Android mobile devices
Push Video	YES (With EagleEyes for iPhone, iPad, Android versions)
<b>▼ Others</b>	
AVTECH Free DDNS service	YES
Multiplex Operation	Live display / record / playback / backup / network operations
System Recovery	System auto recovery after power failure

\*The specifications are subject to change without notice.

\*\* Dimensional tolerance: ±5mm